

113607

**AMENDMENT**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1 -12 (Canceled)

13. (Previously Presented) A speech recognition method, comprising:

defining a numeric language, the numeric language including a subset of a vocabulary, the subset of the vocabulary including words that identify digits in number strings and words that enable the interpretation and understanding of number strings;

defining first acoustical models for the numeric language at a first quality level;

defining second acoustical models for other words in the vocabulary at a second quality level; and

storing the first and second acoustical models in an acoustic model database that is accessible by a speech recognition processor.

14. (Previously Presented) The method of claim 13, wherein the numeric language includes digits, natural numbers, alphabets, re-starts, and city/country name classes.

15. (Previously Presented) The method of claim 13, wherein the acoustical models are hidden Markov models.

16. (Previously Presented) The method of claim 13, further comprising defining a set of filler models that characterizes out-of-vocabulary features.

17. (Previously Presented) A speech recognition method, comprising:

receiving a speech signal;

performing a speech recognition process on the received speech signal to produce speech recognition results, the speech recognition process being based on a set of acoustical

113607

models that has been defined for a numeric language, wherein the numeric language includes a subset of a vocabulary, the subset of the vocabulary including words that identify digits in number strings and words that enable the interpretation and understanding of number strings; and

generating a sequence of digits using said speech recognition results, said generating being based on a set of rules.

18. (Previously Presented) The method of claim 17, wherein said performing is implemented by a speech recognition processor.

19. (Previously Presented) The method of claim 17, wherein said performing is further based on a second set of acoustical models that has been defined for other words in the vocabulary.

20. (Previously Presented) The method of claim 19, wherein said second set of acoustical models is defined at a quality level different than the set of acoustical models for the numeric language.

21. (Previously Presented) The method of claim 17, wherein the numeric language includes digits, natural numbers, alphabets, re-starts, and city/country name classes.

22. (Previously Presented) The method of claim 17, wherein the acoustical models are hidden Markov models.

23. (Currently Amended) The method of claim 17, wherein said generating is implemented by a numeric ~~recognition~~ understanding processor.

24. (Previously Presented) The method of claim 17, wherein the set of rules includes one of a naturals rule and alphabets rule.

113607

25. (Previously Presented) The method of claim 17, wherein the set of rules includes a restarts rule.
26. (Previously Presented) The method of claim 17, wherein the set of rules includes a city/country rule.
27. (Previously Presented) The method of claim 17, wherein the set of rules includes a numeric phrases rule that realigns digits.
28. (Previously Presented) A system, comprising:
- a speech recognition processor that receives unconstrained input speech and outputs a string of words, the speech recognition processor being based on a numeric language that represents a subset of a vocabulary, the subset including a set of words identified as being relevant for interpreting and understanding number strings; and
  - a numeric understanding processor containing classes of rules for converting the string of words into a sequence of digits.
29. (Previously Presented) The system of claim 28, further comprising:
- an acoustic model database utilized by the speech recognition processor.
30. (Previously Presented) The system of claim 29, wherein the acoustic model comprises:
- a first set of hidden Markov models that characterize acoustic features of words in the numeric language; and
  - a second set of hidden Markov models that characterize acoustic features of words in the remainder of the vocabulary.
31. (Previously Presented) The system of claim 30, further comprising:
- a set of filler models that characterizes out-of-vocabulary features.
32. (Previously Presented) The system of claim 28, further comprising:

113607

an utterance verification processor that identifies out-of-vocabulary utterances and utterances that are poorly recognized.

33. (Previously Presented) The system of claim 28, further comprising:

a validation database that stores a set of valid numbers; and

a string validation processor that outputs validity information based on a comparison of a sequence of digits output by the numeric understanding processor with valid numbers in the validation database.

34. (Previously Presented) The system of claim 33, further comprising:

a dialogue manager processor that initiates an action based on the validity information.

35. (Previously Presented) The system of claim 28, further comprising:

a language model database that stores data describing the structure and sequence of words and phrases.

36. (Previously Presented) The system of claim 28, wherein said numeric language

includes digits, natural numbers, alphabets, re-starts, and city/country name phrase classes.